

## GRAVITY ROLLER CONVEYOR QUOTATION WORKSHEET

Company \_\_\_\_\_ Date \_\_\_\_\_  
 Contact \_\_\_\_\_ Quote Due \_\_\_\_\_ Desired Delivery \_\_\_\_\_  
 Phone No. \_\_\_\_\_ Contact Email \_\_\_\_\_ State \_\_\_\_\_  
 HTC Sales Contact \_\_\_\_\_ Quote #: \_\_\_\_\_  
 Quantity \_\_\_\_\_

### Product Specs:

Max:

Width (inches): \_\_\_\_\_ Length (inches): \_\_\_\_\_  
 Height (inches): \_\_\_\_\_ Weight (lbs): \_\_\_\_\_

Min:

Width (inches): \_\_\_\_\_ Length (inches): \_\_\_\_\_  
 Height (inches): \_\_\_\_\_ Weight (lbs): \_\_\_\_\_

Description: \_\_\_\_\_





Foot Print: \_\_\_\_\_

Max. Qty.: \_\_\_\_\_ Total Live Load: \_\_\_\_\_

Temperature

Environment: \_\_\_\_\_

Product: \_\_\_\_\_



### Conveyor Construction:

Between Frame (BF): \_\_\_\_\_

Straight - Length: \_\_\_\_\_

Curve - Degree: \_\_\_\_\_

Inside Radius (I.R.): \_\_\_\_\_

Roller Height: \_\_\_\_\_

Roller Centers: \_\_\_\_\_

Side Frames  Structural

Formed

Welded

Painted  Powder Coated

Epoxy Painted

Color / RAL: \_\_\_\_\_

Stainless Steel

Bolt-Together

Painted  Powder Coated

Color RAL: \_\_\_\_\_

Galvanized  Stainless Steel

Aluminum

Roller No: \_\_\_\_\_

Diameter: \_\_\_\_\_ Wall: \_\_\_\_\_

Bearing: \_\_\_\_\_

Axle: \_\_\_\_\_

Pin  Spring  Heat Treat

Coating \_\_\_\_\_

Capacity \_\_\_\_\_ lbs.

Leg Support: Qty: \_\_\_\_\_

Pivot Top  Rigid Top

Upright: \_\_\_\_\_

TOR \_\_\_\_\_ TOL \_\_\_\_\_ +/- \_\_\_\_\_

Other: \_\_\_\_\_

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Approval Drawing Required:  Yes  No